

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/766,334	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:30
S2	71	Michael near2 Ching.in. Steven near2 Woo.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 15:04
S3	13950361	@ad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 13:16
S4	4370298	@prad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 13:16
S5	1149439	@rlad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 13:16
S6	14323014	S3 S4 S5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:16
S7	54	S2 and mode	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 15:04
S8	18	S2 and mode.clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 15:08
S9	1	S2 and transceiver.clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 16:11
S10	13950361	@ad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 16:12
S11	4370298	@prad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 16:12
S12	1149439	@rlad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 16:12
S13	14323014	S10 S11 S12	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:27
S14	553	bus same (transceiver transmitter receiver) same \$6direction\$5 same (mode transision)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 16:16
S15	550	S13 and S14	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 16:13

S16	27	bus same (transceiver transmitter receiver) same bi\$2direction\$5 same uni\$2direction\$5 same (mode transision)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 16:16
S17	27	S13 and S16	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 13:04
S18	1	("6725304").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/22 17:04
S19	393	bus adj2 turnaround	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/22 17:24
S20	1	("6480026").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/22 17:24
S21	13950361	@ad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 13:04
S22	4370298	@prad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 13:04
S23	1149439	@rlad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 13:04
S24	14323014	S21 S22 S23	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 13:04
S25	27	bus same (transceiver transmitter receiver) same bi\$2direction\$5 same uni\$2direction\$5 same (mode transision)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:06
S26	27	S24 and S25	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 13:05
S27	5	bus same (transceiver transmitter receiver) same bi\$2direction\$5 same uni\$2direction\$5 same priority	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:05
S28	13950361	@ad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:05
S29	4370298	@prad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:05
S30	1149439	@rlad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:05

S31	14323014	S28 S29 S30	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:05
S32	49	bus same (transceiver transmitter receiver) same bi\$2direction\$5 same uni\$2direction\$5 same (mode transision switch\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:23
S33	49	S31 and S32	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:07
S34	4741	bus same mode same user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 18:56
S35	2508	bus same mode with user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:17
S36	588	bus same mode with user and packet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:17
S37	68	bus same bi\$2direction\$5 same uni\$2direction\$5 same user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:24
S38	68	S31 and S37	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 17:24
S39	480699	bus with transmit\$6 priority	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/23 18:56
S41	158	bus with transmit\$6 with higher adj2 priority	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:14
S42	1	("6243776").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/24 11:14
S43	13950361	@ad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:20
S44	4370298	@prad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:20
S45	1149439	@rlad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:20
S46	14323014	S43 S44 S45	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:21
S47	5502	control adj: signal with response with command	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:21

S48	96	control adj signal with response with (transmit receive) adj command	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:28
S49	94	S46 and S48	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:23
S50	13950361	@ad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:27
S51	4370298	@prad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:27
S52	1149439	@rlad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:27
S53	14323014	S50 S51 S52	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:27
S54	96	control adj signal with response with (transmit receive) adj command	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:28
S55	94	S53 and S54	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:28
S56	1	10/766,334	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 17:26
S58	906	bus with (transmit\$6 receiv\$6) with (\$3configur\$6 chang\$4) with (fifo buffer queue)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:34
S59	98	bus with (transmit\$6 receiv\$6) with (\$3configur\$6 chang\$4) with (fifo buffer queue) with command	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:38
S60	97	S53 and S59	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:35
S61	21	bus with number with turnaround	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:38
S62	21	S53 and S61	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:44
S63	33	user with (set\$6 configur\$6) with initialization with bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:46
S64	32	S53 and S63	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:58

S65	5	control adj logic with bandwidth adj2 requirement	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:58
S66	5	control adj logic with bandwidth adj2 requirement and bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 12:03
S67	5	S53 and S66	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 11:59
S68	28	control adj logic with bandwidth near3 (allocat\$6 assign\$8)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 12:03
S69	22	control adj logic with bandwidth near3 (allocat\$6 assign\$8) and bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 12:05
S70	22	S53 and S69	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 12:04
S71	503	bus with bandwidth near3 (allocat\$6 assign\$8)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 12:05
S72	493	S53 and S71	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 12:27
S73	1	("6243776").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/24 12:52
S75	13	bus with monitor\$6 with (queue fifo buffer) with threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 12:53
S76	12	S75 and S53	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:10
S77	49	average adj3 wait\$6 adj3 time with (fifo queue buffer) and bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:15
S78	49	S53 and S77	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:10
S79	2	average adj3 time with wait\$6 with (fifo queue buffer) with transmit\$6 and bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:16
S80	2	S53 and S79	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:16
S81	4	average with time with wait\$6 with (fifo queue buffer) with transmit\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:18

S82	4	S81 and S53	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:16
S83	10	average with wait\$6 with (fifo queue buffer) with transmit\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:18
S84	9	S83 and S53	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:21
S85	26635	power adj2 consumption with (integrated adj circuit chip memory)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:22
S86	6790	power adj2 consumption and bus and \$4directional	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:24
S87	355	power adj2 consumption same \$4directional and bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:24
S88	24	power adj2 consumption with \$4directional same bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:25
S89	23	S53 and S88	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:53
S90	2	override adj signal with mode with bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:57
S91	132	bus with control with generat\$6 with periodic\$7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:03
S92	129	S53 and S91	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 13:58
S93	13950361	@ad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:03
S94	4370298	@prad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:03
S95	1149439	@rlad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:03
S96	14323014	S93 S94 S95	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:03
S97	132	bus with control with generat\$6 with periodic\$7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:16

S98	129	S96 and S97	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:03
S99	13950361	@ad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:16
S100	4370298	@prad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:16
S101	1149439	@rlad<="20040128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:16
S102	14323014	S99 S100 S101	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:09
S103	132	bus with control with generat\$6 with periodic\$7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:34
S104	129	S102 and S103	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:16
S105	43	bus with control adj signal with generat\$6 with periodic\$7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:35
S106	41	S102 and S105	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:50
S107	1	("5265211").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/24 14:50
S108	1	S107 and override	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 14:57
S109	1	("5771356").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/24 14:57
S110	1	S109 and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:03
S111	6	bus with (calibrate calibration) with disabl\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:04
S112	6	S102 and S111	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:04
S113	21	bus same (calibrate calibration) with disabl\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:13

S11 4	21	S102 and S113	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:05
S11 5	0	bus same (calibrate calibration) with phase with impedance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:09
S11 6	4	bus same (calibrate calibration) same phase same impedance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:12
S11 7	4	S102 and S116	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:09
S11 8	3214	bus same (calibrate calibration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:12
S11 9	1352	bus with (calibrate calibration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:12
S12 0	8	bus with (calibrate calibration).ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:12
S12 1	7	S102 and S120	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:13
S12 2	2	S105 and (calibrate calibration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:13
S12 3	7	S121 and (calibrate calibration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:14
S12 4	97	phase with impedance with (calibrate calibration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:14
S12 5	97	S124 and S102	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:23
S12 6	1	10/645,201	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 15:24
S12 7	0	("2005/0041683").URPN.	USPAT	OR	ON	2005/12/24 15:28
S12 8	1	("6606576").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/24 15:36
S12 9	1	S128 and calibrat\$6 and phase and impedance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:09

S13 0	182	(370/366).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/24 16:10
S13 1	175	S102 and S130	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:11
S13 2	146	S102 and S130 and multiplex\$7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:11
S13 3	74	S102 and S130 and multiplex\$7 and bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:14
S13 4	1	("6606576").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/12/24 16:16
S13 5	1806	bus.ti. and multiplexer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:17
S13 6	1785	S102 and S135	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:17
S13 7	23	S102 and S135 and deserializer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:22
S13 8	458	S102 and (serializer deserializer) with bus	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:23
S13 9	50	S102 and (serializer deserializer) with bus with (transmitter receiver)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:26
S14 0	546	S102 and (serializer deserializer multiplexer demultiplexer) with bus with (transmitter receiver)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 16:27
S14 1	1	10/766,334	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/24 17:26